

## The Dangers of Statin Drugs

Statins, which are a class of drugs used to lower your cholesterol, are among the most commonly prescribed medications in the world, and I believe, one of the most unnecessary drugs there are. Use of statins rose by a whopping 156 percent between 2000 and 2005, rising from 15.8 million people to 29.7 million people. Spending on these drugs jumped from \$7.7 billion to \$19.7 billion annually over the same period. This is a travesty in light of the **overwhelming evidence** – nearly 900 studies compiled in the review listed above -- showing the damage statins inflict.

### **The Dangerous Side Effects of Cholesterol-Lowering Drugs**

Statin drugs are some of the most unnecessary drugs on the market today.

Why?

Because their use is based on a misinformed notion that cholesterol is the nemesis of good health in the first place. I've said it before, but it bears repeating: [Cholesterol is not the cause of heart disease](#).

Making matters worse, statins are also some of the most dangerous and are fraught with side effects.

Confusing matters, however, is the fact that statin drugs oftentimes do not have any *immediate* side effects, and they are quite effective, capable of lowering cholesterol levels by 50 points or more. This makes it appear as though they're benefiting your health, and health problems that appear down the line are frequently not interpreted as a side effect of the drug, but rather as brand new, separate health problems.

But there's an ever-growing body of evidence showing that potentially serious side effects begin to manifest several months after the commencement of therapy.

For starters, some of the possible consequences of taking statins in strong doses, or for a lengthy period of time, include:

- Cognitive loss
- Neuropathy
- Anemia
- Acidosis
- Frequent fevers
- Cataracts
- Sexual dysfunction
- 

Other serious and potentially life threatening side effects include, but are not limited to:

- [An increase in cancer risk](#)
- [Immune system suppression](#)
- Serious degenerative muscle tissue condition (rhabdomyolysis)
- Pancreatic dysfunction
- Hepatic dysfunction. (Due to the potential increase in liver enzymes, patients must be monitored for normal liver function)

According to the latest review published in the [American Journal of Cardiovascular Drugs](#), adverse effects are dose dependent, and your health risks are also amplified by a number of factors, such as:

- [Drug interactions that increase statin potency](#)
- Metabolic syndrome

- Thyroid disease
- Other genetic mutations linked to mitochondrial dysfunction
- 

### How Statin Drugs Destroy Your Muscles

The most common side effect is muscle pain and weakness, a condition called rhabdomyolysis. Unfortunately, many older adults are likely unable to distinguish between muscle pain related to a statin effect versus an effect of aging, and therefore adverse effects of statins in older adults may be grossly under-reported.

Researchers have now discovered that there is more than one way this condition can arise as a result of taking statins, including:

- Depleting your body of Co-Q10, a nutrient that supports muscle function. In my view it is medical malpractice to prescribe a statin drug without recommending one take CoQ10, or better yet ubiquinol.
- Altering the ability of skeletal muscle to repair and regenerate due to the anti-proliferative effects of statins. In one [recent study](#), the viability of proliferating cells was reduced by **50 percent** at a dose equivalent to 40 milligrams of Simvastatin – the dose per day used in some patients. This could clearly have a negative effect on your skeletal muscles' ability to heal and repair themselves, and could lead to eventually becoming more or less incapacitated.
- [Activating the atrogen-1 gene](#), which plays a key role in muscle atrophy.

The breakdown of skeletal muscle tissue can in turn also [lead to kidney failure](#).

The industry insists that only 2-3 percent of patients get muscle aches and cramps but according to one study, **98 percent** of patients taking Lipitor and one-third of the patients taking Mevacor (a lower-dose statin) suffered from muscle problems!

Adding insult to injury, active people are actually **more** likely to develop problems from statin use than those who are sedentary. In a study carried out in Austria, only six out of 22 athletes with familial hypercholesterolemia were able to endure statin treatment. The others discontinued treatment because of muscle pain.

### The Importance of CoQ10

There are no official warnings in the U.S. regarding CoQ10 depletion from taking statin drugs, and many physicians fail to inform you about this problem as well. Labeling in Canada, however, clearly warns of CoQ10 depletion and even notes that this nutrient deficiency "*could lead to impaired cardiac function in patients with borderline congestive heart failure.*"

Coenzyme Q10 is an antioxidant compound that is central to the process of energy production within your mitochondria, and in the quenching of free radicals.

Statins have been found to impair mitochondrial function, which leads to increased production of free radicals.

At the same time, statins also lower your CoQ10 levels by blocking the pathway involved in cholesterol production – the same pathway by which Q10 is produced. Statins also reduce the blood cholesterol that transports CoQ10 and other fat-soluble antioxidants.

The loss of CoQ10 leads to loss of cell energy and increased free radicals which, in turn, can further damage your mitochondrial DNA, effectively setting into motion an evil circle of increasing free radicals and mitochondrial damage.

This explains why statins are particularly dangerous if you have *existing* mitochondrial damage, as your body relies on ample CoQ10 to bypass this damage.

**High blood pressure and diabetes are linked to higher rates of mitochondrial problems, so if you have either of these conditions your risk of statin complications increases**, according to the authors of this latest review.

Additionally, since statins can cause progressive damage to your mitochondria over time, and

your mitochondria tend to weaken with age anyway, new adverse effects can develop the longer you're on the drug.

Said co-author Beatrice Golomb, MD, PhD:

*"The risk of adverse effects goes up as age goes up, and this helps explain why. This also helps explain why statins' benefits have not been found to exceed their risks in those over 70 or 75 years old, even those with heart disease."*

### **How to Lower Your Cholesterol Naturally**

There's really no reason to take statins and suffer the consequences from these ill-conceived drugs. These simple guidelines have the power to lower your cholesterol naturally, without any dangerous side effects:

If you truly want to normalize your cholesterol levels, following these simple lifestyle changes can get you there:

- First, [normalize your insulin levels](#) by eliminating sugar and grains.
- Second, you can take a high-quality krill oil or fish oil that is [chock full of beneficial omega-3 fatty acids](#).
- Eat the right foods and eat a [good portion of your food raw](#).
- Additionally, if you are a man, or a woman who is in menopause, you should [check your iron levels](#), as elevated levels of iron can cause major oxidative damage in the blood vessels, heart and other organs. [Excess iron is also one of the major contributing factors of cancer risk](#).
- [Regular exercise](#) is another important tool that can help. When you exercise you increase your circulation and the blood flow throughout your body. The components of your immune system are also better circulated, which means your immune system has a better chance of fighting an illness before it has the opportunity to spread.
- Energy Psychology methods such as Emotional Freedom Techniques (EFT) can also be helpful for cholesterol. Read this press release for the possibilities. [Doctors Use New Acupressure Technique to Lower Cholesterol and Triglyceride Levels: Medications Unnecessary](#)
- Avoid smoking and drinking alcohol excessively.

Related Links:

» [How Statin Drugs Wreck Your Muscles](#)

» [6 Ways to Reduce Inflammation -- Without a Statin Drug](#)

» [1.5 Million More People to Be Prescribed Useless Cholesterol Drugs](#)